



ELSEVIER

Discrete Applied Mathematics 82 (1998) 279–280

**DISCRETE
APPLIED
MATHEMATICS**

Author Index

Volume 82 (1998)

- Alon, N. and A. Zaks, *T*-choosability in graphs (1–3) 1–13
- Angel, E. and V. Zissimopoulos, On the quality of local search for the quadratic assignment problem (1–3) 15–25
- Anily, S., C.A. Glass and R. Hassin, The scheduling of maintenance service (1–3) 27–42
- Bang-Jensen, J., G. Gutin and A. Yeo, Properly coloured Hamiltonian paths in edge-coloured complete graphs (1–3) 247–250
- Brandstädt, A., V.D. Chepoi and F.F. Dragan, The algorithmic use of hypertree structure and maximum neighbourhood orderings (1–3) 43–77
- Brennan, T., see J. Harrison (1–3) 103–113
- Broughan, K., see N. Zhu (1–3) 231–246
- Chen, B. and M. Guignard, Polyhedral analysis and decompositions for capacitated plant location-type problems (1–3) 79–91
- Chepoi, V.D., see A. Brandstädt (1–3) 43–77
- Dragan, F.F., see A. Brandstädt (1–3) 43–77
- Fernandez de la Vega, W. and V. Zissimopoulos, An approximation scheme for strip packing of rectangles with bounded dimensions (1–3) 93–101
- Füredi, Z., On the double competition number (1–3) 251–255
- Gapinski, S., see J. Harrison (1–3) 103–113
- Gerbessiotis, A.V., A graph-theoretic result for a model of neural computation (1–3) 257–262
- Glass, C.A., see S. Anily (1–3) 27–42
- Guignard, M., see B. Chen (1–3) 79–91
- Gutin, G., see J. Bang-Jensen (1–3) 247–250
- Harrison, J., T. Brennan and S. Gapinski, The Gergonne *p*-pile problem and the dynamics of the function $x \mapsto \lfloor (x+r)/p \rfloor$ (1–3) 103–113
- Hassin, R., see S. Anily (1–3) 27–42
- Henning, M.A. and H. Maharaj, Some general aspects of the framing number of a digraph (1–3) 115–133
- Hu, Z. and Z. Liu, A strongly polynomial algorithm for the inverse shortest arborescence problem (1–3) 135–154
- Jerrum, M. and G.B. Sorkin, The Metropolis algorithm for graph bisection (1–3) 155–175
- Klazar, M., On trees and noncrossing partitions (1–3) 263–269
- Litsyn, S., P. Solé and R. Struik, On the covering radius of an unrestricted code as a function of the rate and dual distance (1–3) 177–191
- Liu, Z., see Z. Hu (1–3) 135–154
- Maculan, N., see C.Z. Ortiz (1–3) 209–217
- Maharaj, H., see M.A. Henning (1–3) 115–133
- Martin, W., Fast equi-partitioning of rectangular domains using stripe decomposition (1–3) 193–207
- Ortiz, C.Z., N. Maculan and J.L. Szwarcfiter, Characterizing and edge-colouring split-indifference graphs (1–3) 209–217

Shioura, A., A constructive proof for the induction of M-convex functions through networks	(1–3) 271–278
Shyr, H.J. and S.S. Yu, The single loop representations of regular languages	(1–3) 219–229
Solé, P., see S. Litsyn	(1–3) 177–191
Sorkin, G.B., see M. Jerrum	(1–3) 155–175
Struik, R., see S. Litsyn	(1–3) 177–191
Szwarcfiter, J.L., see C.Z. Ortiz	(1–3) 209–217
Yeo, A., see J. Bang-Jensen	(1–3) 247–250
Yu, S.S., see H.J. Shyr	(1–3) 219–229
Zaks, A., see N. Alon	(1–3) 1–13
Zhu, N. and K. Broughan, On aggregating two linear Diophantine equations	(1–3) 231–246
Zissimopoulos, V., see E. Angel	(1–3) 15–25
Zissimopoulos, V., see W. Fernandez de la Vega	(1–3) 93–101

